Serial No.: 09/738,471

AMENDMENTS TO CLAIMS

The Listing of Claims below replaces all prior versions, and listings, of claims in this application:

1 - 24 (Cancelled).

- 25. (Currently amended) The method of elaim 24 claim 46, wherein the selected file is at least one of a link, a document, and or a thumbnail.
- 26. (Currently amended) The method of claim 24 claim 46, wherein the at least one first keyword is statically associated with the web page further comprising:

receiving notice of a user request for the web page, said user request being received after the execution of said selecting.

27. (Currently amended) The method of claim 24 claim 47, wherein the analyzing is said parsing comprises:

<u>performing</u> a statistical <u>word</u> frequency analysis <u>of the content to discover the one</u> <u>or more keywords</u>.

28. (Currently amended) The method of elaim 24 claim 47, wherein the at least one first keyword is obtained by the said parsing comprises:

analyzing is based on at least one metatag in the web page to discover the one or more keywords.

Serial No.: 09/738,471

- 29. (Cancelled).
- 30. (Currently amended) The method of elaim 24 claim 46, wherein the analyzing products in the product database produces a plurality of second keywords ranked based upon at least one ranking criterion said analyzing is executed to detect a plurality of contexts for the web page, and wherein said selecting is executed to select a plurality of products corresponding to the plurality of contexts, the method further comprising:

ranking the plurality of contexts and the plurality of products.

31-32 (Cancelled).

33. (Currently amended) The method of elaim 32 claim 49, wherein said analyzing is executed to detect a plurality of contexts for the requested web page, and wherein said selecting is executed to select a plurality of products corresponding to the plurality of contexts, the method further comprising:

the analyzing products in the product database produces a plurality of second keywords ranked based upon at least one ranking criterion ranking the plurality of contexts and the plurality of products, such that said displaying is executed to display the plurality of products in accordance with the ranking.

34-36 (Cancelled).

Serial No.: 09/738,471

37. (Currently amended) The method of claim 24 claim 46, comprising further comprising:

dynamically associating the file with the web page receiving notice of a user request for the web page, said user request being received prior to the execution of said analyzing or said selecting.

38-45 (Cancelled).

46. (New) A computer implemented method of selecting at least one file representing at least one product, the file relating to a web page on the World Wide Web, the method comprising:

receiving the web page;

analyzing the web page to detect a context for the web page; and selecting at least one file representing at least one product related to the detected context.

47. (New) The method of claim 46, wherein said analyzing comprises:

parsing the content of the web page to discover one or more keywords published as

part of the content; and

evaluating the one or more keywords to detect the context.

48. (New) The method of claim 47, wherein said evaluating comprises: comparing the one or more keywords with a synonym to detect the context.

Serial No.: 09/738,471

49. (New) A method of selecting and displaying at least one file representing at least one product, the file relating to a web page on the World Wide Web, the method comprising:

receiving notice of a user request for a web page;

receiving the requested web page;

analyzing the requested web page to detect a context for the requested web page;

selecting at least one file representing at least one product related to the detected

context;

producing a second page including the requested web page and the file; and displaying the second page to the user.

50. (New) A computer readable storage medium including computer executable code for selecting at least one file representing at least one product, the file relating to a web page on the World Wide Web, the code enabling the steps of:

receiving the web page;

analyzing the web page to detect a context for the web page; and

selecting at least one file representing at least one product related to the detected

context.